

# A PRELIMINARY STUDY OF RECONSTRUCTION OF AN IMAGE USING LESS DOSE DATA BASED ON QUNICUNX SAMPLING

 M. Neetu Aparna<sup>1</sup>, K. Harika<sup>2</sup>, K. Harsha Sai priya<sup>3</sup>, S.K. Shammi<sup>4</sup>, T.Nagarjuna<sup>5</sup>
<sup>1,2,3,4</sup>B. Tech, Department of Computer Science & Engineering Bapatla Engineering College, Bapatla, Guntur, Andhra Pradesh
<sup>5</sup>Assistant professor Department of Computer Science & Engineering Bapatla Engineering College, Bapatla, Guntur, Andhra Pradesh

#### Abstract:

Super determination is especially profitable and interesting zone of examination for pictures planning applications in light of wavelet change. In this paper, we proposed figuring in light of stationary wavelet change (SWT) and discrete wavelet transform (DWT). Single edge super determination can be proficient by usage of different expansion systems like insertion however this arrangement create darken at the edge of pictures. Thus in this paper we relied on upon various wavelet changes with quincunx examining network approach. Quality part of reproduced picture, for example, mean, change, middle, mode and furthermore finding the commotion proportion for the pictures.

Keywords: Super resolution, DWT, SWT, interpolation, Qunicunx Sampling

# 1. INTRODUCTION

The Method to remake a high resolution images assumes essential part in various, electronic applications as high resolution images are craved and frequently required. pixel density is high in high resolution images as it gives more subtle elements of data which is required in basic application, for example, medical diagnosis, satellite observation and mammography images. From 1970 onwards pictures were procured by a charge coupled device (CCD) or by CMOS innovation picture sensor which are financially savvy as contrast with various algorithms. So such a resolution upgrade of picture gets to be intriguing examination zone to specialists and researchers and it called super determination picture recreation. As of late numerous new calculations have been proposed. one noteworthy methodology for single edge super determination in interjection in which high recurrence data is removed from low determination picture and predication is accomplished for detailed information in the HR image. they are some well known existing strategies for the super resolution which depends on the standard introduction procedures (pixel replication, bilinear, bicubic, linear interjection) that builds the pixel number without including the details. However addition based super determination systems presented the obscure impact in edges. So there are various super resolution calculations in view of different images to evade obscure in images. Generally, super resolution strategy can be isolated into spatial area reconstruction, three types: Frequency domain, and probability based methods, Tasi and Huang are the first who created idea of super resolution using frequency domain. Further work has proposed by keren et al who develophed a spatial domain procedure to perform image registration using using a global translation and rotation model. The technique by Irani and peleg in recreating a high determination pictures handles dynamic pictures of an object, and more unpredictable movements than immaculate translational movement in the picture plan. Their calculation relies on upon making a game plan of duplicated low determination images. The picture differentiates between this course of action of pictures and the certified observed low-determination pictures are back-anticipated using a back-anticipated kernel,onto an underlying estimation of the highdetermination image.Cohen,Arvin and Dinstein have executed calculation for revamping a highdetermination image. They have increased Irani and Peleg's work, in which high determination pictures is gotten by use of projection of each and every pixel. However, their philosophy is kept to information pictures that are straightforward interpretation of the first picture to acquired super settled picture.In Numerous super determination pictures the issue is constantly connected with edges or high recurrence segments of image. These exceptions may incorporate noise.motionblur.moving items and movement errors. Thye work by Zomet, Rav-Acha, and peleg tries to enhance these issues of anomalies of image.Gajjar and joshi acquire high recurrence sub groups got from discrete wavelet transform(DWT) in their a learning-based approach for super settling a picture utilizing single observation.they have utilized orthogonal wavelet channel bank(db4) to extricate the high recurrence segments shape low determination picture ji and Femullat proposed superdetermination calculation in which picture reclamation in light of standard bi-orthogonal wavelet channel bank(cdf-9/7).Jiji et al exhibited single casing picture super determination method in which wavelet coefficient are utilized to decide high recurrence segments then pixel values in various recurrence sub-groups.this strategy concentrates more on confined examination recurrence than worldwide separating utilizing Fourier transform.Hguyen

and Milanfar proposed wavelet-based addition reclamation technique for superresolution.Anbarjafari and Demirel grew new approach for super determination in light of introduction of high recurrence parts which is gotten after the change of info picture utilizing DWT(9/7FB).

Similar enhanced creators this super determination conspire by utilization of DWT and SWT to change the information picture to various high recurrence sub bands.these sub groups and information picture is joined in the wake of applying interjection on both. Here they attempt have utilized same channel bank for this super determination plot .Chappali and Bose connected the idea of edge level on remade picture quality in lifting plan based wavelet super -resolution. in there calculation they attempt tp evacuate however much of the ruining commotion as could reasonably be expected without influencing the reproduction picture quality because of obscure presented in the super determination prepare.

From the greater part of this above writing, it can be said that these super determination plans utilized off-the-rack wavelet premise i.e. orthogonal wavelet bases (Daubechies family),bi orthogonal wavelet bases, and haar premise. In any case, there are many issues opportunity still open in field bank. The execution of wavelet based framework is exceedingly reliant upon the decision of wavelet channel bank.

# 2. PREVIOUS WORK

There are diverse calculations and strategies for the super determination in different area like recurrence space and spatial area. In this area we examined diverse super determination procedure in view of wavelet space. Gholamreza Anbarjafari and Hassan Demirel created addition based a super determination system by utilizing Discrete Wavelet Change. In their Paper low determination picture is changed to various subbands frequencies utilizing discrete wavelet change.These high recurrence subbands are added utilizing different addition technique (closest, bilinear and bicubic interjection).Super settled picture is acquired by backwards changed of blend of introduced high recurrence subbands and input picture they have demonstrated that nature of picture is upgraded utilizing this wavelet based procedure when contrasted with super settled picture got by various insertion strategy.The square outline of technique proposed by demirel and Anbarjafari in show in figure1.



**Figure1:**Block Diagram for method proposed by Gholamreza Anbarjafari

Gholamreza Anbarjafari Hassan Demirel proposed an another picture super determination strategy in view of insertion utilizing addition of stationary wavelet change and discrete wavelet change.In this technique high recurrence subbands are acquired by changed info picture by SWT and DWT. Here high recurrence sub groups acquired from DWT are added and added to sub groups got frame SWT.At last super settled picture is acquired by blend of sub groups and interjected input picture .this technique proposed by demirel et al gives change in quality measure of picture. The block of proposed method is shown in figure 2.



**Figure2:** The block diagram of proposed method of demirel et

#### **3. PROPOSED WORK**



# Figure3(a): Block diagram for proposed method

In this proposed strategy executed through wavelet based super determination method utilizing quincunx inspecting network.

In the first place, the two low determination pictures I1 and I2 are gotten from the first picture in light of the half-pixel move in both the directions(row and section savvy). This procedure is called quincunx examining the picture of I1 contains just the even records pixel values and the picture I2 contains odd lists pixel. This move in two pictures speaks to the slanting movement of a camera over a range, expecting CCD exhibit of the camera tests the region in this half-pixel way. The Fig.4 show quincunx examining by part the pixel picture of  $6 \times 6$  into two  $3 \times 3$  pixel pictures at coveted half-pixel move. The zeros show odd records pixel and the cross demonstrates the even lists pixel.



# Figure3(b):Procedure to obtain the tworesolution images

These two low-determination edges are then joined on a quincunx testing framework. The putting of these two low-determination outlines into a high determination outline compare to half-pixel move in x and y-bearings. This highdetermination network is gotten by doing some change on these two-determination outlines and can be composed as: H(xH,yH)=T(I1(x1,y1),I2(x2,y2))

Next, applying the dwt\_swt\_analysis for the both pictures, here dwt\_swt\_analysis implies the strategy proposed by Demirel et al to got the super settled picture by utilizing discrete wavelet change and stationary wavelet change.

Next, include the both the pictures which are acquired from the above stride, after that

connected dyadic channel investigation on that picture.

# Dyadic filter analysis:

The Dyadic Analysis FilterBank question utilizes a progression of high pass and low pass FIR channels to give inexact octave band recurrence disintegrations of the info. Every channel yield is down examined by an element of two. With the proper investigation channels and tree structure, the dyadic examination channel bank is a discrete wavelet change (DWT) or discrete wavelet bundle change (DWPT). This channel bank expels the obscure and commotion from the picture.

#### Algorithm:

Step1: In this initial step read the lowdetermination picture, this pictures identified with the general pictures (lenna picture), medicinal pictures, satellite pictures, continuous articles.

Step 2: In second step apply quincunx sampling on the input image. In quincunx samplingwe obtained only even and odd indices pixel values.

Step3: After that apply super resolution algorithm which is proposed by demiral et al. by using this algorithm obtained high resolved image.

Step4: After obtained high-resolution image apply dyadic filter analysis, for removing noise and blur.

For, quality assessment between the original image and reconstructed image find the mean, variance, mode, median and find the noise ratio between two images find MSE and PSNR values.

**Mean:** The mean is the average of the all pixels intensities in the image. It is easy to calculate. add up all the intensities, then divide by size matrix . In other words it is the sum divided by the count.

$$Mean(\mu) = \frac{\sum_{i,j}^{m,n} f(i,j)}{m^* n} \qquad (1)$$

Variance: Variance is a measure of how spread out a data in set. Low variance means the values in the set are clustered close together. Higher variance means the numbers are more spread out. This concept has many uses in statistics.

Variance(
$$\sigma^2$$
)= $\frac{\sum_{i,j}^{m,n} (\mu - f(i, j))}{m*n}$  (2)

**Standard deviation:** is a measure that is used to quantify the amount of variation or dispersion of a set of data values. A low standard deviation indicates that the data points tend to be close to the mean (also called the expected value) of the set, while a high standard deviation indicates that the data points are spread out over a wider range of values.

Standard deviation= 
$$\sqrt{\sigma^2}$$
 (3)

**Meidan: median** is the value separating the higher half of a data sample, a population, or a probability distribution, from the lower half. The *median* of a finite list of numbers can be found by arranging all the observations from lowest value to highest value and picking the middle one

If n(m\*n) is odd then Median (M) = value of ((n + 1)/2)th item term.

If n(m\*n) is even then Median (M) = value of [((n)/2)th item term + ((n)/2 + 1)th item term ]/2

#### **Mean Square Error:**

Comparing restoration results requires a measure of image quality. Two commonly used measures are *Mean-Squared Error* and *Peak Signal-to-Noise Ratio.* The mean-squared error (MSE) between two images f(x, y) and f(x, y)

$$MSE = \frac{1}{mn} \left( \sum_{i=1}^{m} \sum_{j=1}^{n} (g'(i,j) - g(i,j)) \right)$$
(4)

#### Peak Signal to Noise Ratio:

Peak Signal-to-Noise Ratio (PSNR) avoids this problem by scaling the MSE according to the image range:

$$PSNR = -10\log_{10}(max_{MSE}^{2})$$
(5)

Here Max=maximum intensity value in image(255) (f is maximum value in data set)

#### **4. RESULT AND DISCUSSION**

Proposed super resolution algorithm is implemented based on take the samples from the original image and then reconstruct the original image with maximizing resolution of the image. If the input of size of the image is 256×256 then it will increase the resolution nearly 2048×2048. Proposed algorithm gives perfect reconstruction of the image with increased the resolution of image

For the performance analysis for the finding the level of reconstruction find the mean, variance, mode, median. And finding the error ration between these two images find the MSE and PSNR value between original and reconstructed image.





(c) (d)

Figure 4. (a) Original Image (b) Image which contains only even indexed intensity value (c) Image which contains only odd indexed intensity values (d) Super resolved Image

#### **Performance Analysis for Reconstruction:**



#### **5. CONCLUSION**

This proposed calculation achieves practically culminate recreation for the low determination picture to high determination picture. In future work plan to work for actualize high determination with smooth edges and furthermore improve the nature of the picture and furthermore diminish the time Intricacy.

#### 6. REFERENCES

[1] Anbarjafari, Gholamreza, and Hasan Demirel, 2010. "Image super resolution based on interpolation of wavelet domain high frequency subbands and the spatial domain input image."ETRI Journal, 32.3; 390-394.

[2] Ms. Karadge Supriya Sukumar, An efficient technique for Image Resolution Enhancement using Discrete and Stationary Wavelet transform,Jan.2016

[3] S. Mallat, A Wavelet Tour of Signal Processing, 2nd ed. New York Academic, 2014.

[4] X. Li and M. T. Orchard, "New edgedirected interpolation," IEEE Trans. Image Process., vol. 10, no. 10, pp. 1521– 1527, Oct. 2001.

[5] W. K. Carey, D. B. Chuang, and S. S. Hemami, "Regularity-preserving image interpolation," IEEE Trans. Image Process., vol. 8, no. 9, pp.1295–1297, Sep. 1999.

[6] Gajjar, Prakash P., and Manjunath V. Joshi. "New learning based super-resolution: use of DWT and IGMRF prior."IEEE Transactions on Image Processing 19.5 (2010): 1201-1213.

[7] Jiji, C. V., Manjunath V. Joshi, and Subhasis Chaudhuri. "Single-frame image superresolution using learned wavelet coefficients."International journal of Imaging systems and Technology 14.3 (2004): 105-112.

[8] Tsai, R. Y., and Thomas S. Huang. "Multiframe image restoration and registration."Advances in computer vision and Image Processing 1.2 (1984): 317-339.

[9] Irani, Michal, and Shmuel Peleg. "Motion analysis for image enhancement: Resolution, occlusion, and transparency."Journal of Visual Communication and Image Representation 4.4 (1993): 324-335.

[10] Ji, Hui, and Cornelia Fermüller. "Robust wavelet-based super-resolution reconstruction: theory and algorithm."IEEE Transactions on Pattern Analysis and Machine Intelligence 31.4 (2009): 649-660.