

MEASURING INFORMATION SECURITY AND CYBERSECURITY ON PRIVATE CLOUD COMPUTING

CH.BUCHIREDDY, K BAGADISH KUMAR, J RANJITH 4.CHANDRAKALA. 5.P.SWAPNA

Assistant Professor, Department of Computer Engineering, Ellenki college of Engineering and Technonlogy, patelguda (vi), near BHEL ameenpur (m), Sangareddy Dist. Telangana 502319...

ABSTRACT Information security is an essential topic that contributes the of business operation success nowadays. The urgency of applying effective information security can be seen in all business and non-profit entities. The article takes the case of university XYZ that uses private cloud computing as essential tools to support its business processes. The article examines the effective way of measuring the level of information security and **CyberSecurity** performance that focuses on private cloud use with its recommendations. The article applies the ISO 27001:2013 framework by involving all clauses in Annex A ISO 27001:2013 CyberSecurity, COBIT5 and for section Applying to CyberSecurity. Annex Α ISO 27001:2013 and **COBIT5** for CyberSecurity is used to measure the information security and CyberSecurity performance, respectively. The article uses a survey method to the employees in the IT division at University XYZ. The article examines the maturity level gap between current and expected results and provides necessary recommendation to improve current situation. The outcome of the article is expected to provide as a reference for information security application in higher education institutions.

Keywords: Information Security, CyberSecurity, Private Cloud Computing, ISO 27001, COBIT 5.

1 INTRODUCTION

Cloud computing in the function of information technology requires standards and procedures[1], especially cloud computing where private the technology is information managed thoroughly by the organization itself, both from the provision of infrastructure allocation of resources the in to accordance with the capacity of users[2].

Cloud computing was being deployed in all sectors of works globally, especially in higher education[3]. Based on a research by ViON and Hitachi[4], it is known that higher education institutions are using the cloud to manage a wide range of technology, administrative, and educational systems, from nuts-and bolts services to more innovative applications. This research also discover that the dominant model of the cloud computing in higher education is a private cloud model funded by operating expenses.

Novelty of the new technology adoption may increase the risk involved, if not controlled well[5,6]. Recent cyber attacks prove that higher education institution are one of the prime target of the hackers[7]. Based on this research, it is known that in 2014, 10 percent of reported security breach, involved the education sector. **Based** on anotherarticle[8], it is known that even the globally popular universities such as Harvard, is attacked by unknown hacker.

XYZ is an educational University institution that uses private cloud computing as one of the main pillars of information technology in supporting organizational business processes. Based from the log of firewall in the University XYZ, currently there's about 1 miliion intrusions detected per year targeted on its private cloud computing. Given this private cloud computing is one of the core IT information security needed in improving customer satisfaction, which in this case is the staff and students.

Therefore, it is necessary to assess the level of information security maturity focused on private cloud computing owned by University XYZ. At University XYZ, no information security measures have been taken so that measurements are needed to determine the conditions of information security implementation at University XYZ.

Maturity model can increase the effectiveness and efficiency of security programs by focusing on thorough and repeatable security process that can self improve and integrated into the overall operational infrastructure[9].

Assessment and evaluation of investments that have been issued for IT implementation also need to be well considered. Based on the research that has been done before, explained that the organization has begun to realize and start doing performance measurement and evaluation[10,11]. In analyzing IT, there are several frameworks that serve international guidelines in as IT governance that has been implemented widely and has proven its implementation such as ISO 27001[12], COBIT[13,14], ITIL[15].

Information security plays an important role and becomes an important issue in measuring system effectiveness[16,17]. ISO 27001:2013 is an international standard that specifies the need to provide, manage, and improve information security management systems[18] and used as a reference in the measurement and control of information security[11].

Another framework for securing the information technology and CyberSecurity is COBIT 5. COBIT 5 for CyberSecurity encompasses all of the general information technology controls, which is dedicated for achieving overall information technology security[19].

This research provides mapping from COBIT 5 for CyberSecurity section Applying CyberSecurity processes to ISO27001:2013 as well as the maturity level analysis for both in University XYZ.

2 THEORETICAL FRAMEWORK AND LITERATURE REVIEW Information Security

Information security refers to the term that enables to protect the computer system from unauthorized access, use, disclosure, harassment, modification or destruction to provide confidentiality, integrity and availability[20].

Information security has several important aspects that are known as C.I.A Triad [21], which consists of aspects of Confidentiality, Integrity, and Availability[22].

Confidentiality (C) means that data and information represented by data must be protected in such a way that use is limited only to authorized persons.

Integrity (I) means to protect users from unauthorized modification of information.Warranty that data will not be altered without proper authorization.

Availability (A) means that protecting users from unauthorized use of denial. Cloud Computing

Cloud Computing is a distributed computing paradigm that was focused on providing a wide range of users that makes use of existing technologies such as virtualization, service- orientation,

and grid computing, to acquire and manage IT resources on a large scale[2]. Cloud computing's paradigm encompasses access to a shared pool of computing resources that can be rapidly provisioned and released with minimal effort[23].

NIST defines Cloud Computing definition[23], comprised of five essential characteristics, three service models, and four deployment models.

deployment models on cloud Four computing[24] can be summarised as: (1) Private cloud (or In-house), where the cloud infrastructure is provisioned exclusive for by a single use comprising multiple organization consumers; (2) Community cloud, where the cloud infrastructure provisioned for exclusive use by a specific community of consumers from organizations that have shared concerns; (3) Public cloud, where The cloud infrastructure is provisioned for open use by the general public. It may be owned, managed, and operated by a business, academic, or government organization, or some combination of them; and (4) Hybrid cloud, where the cloud infrastructure is a composition of two or more distinct infrastructures cloud (private, community, or public) that remain unique entities, but are bound together by standardized or proprietary technology that enables data and application portability.

Companies that was using the cloud computing reported that cloud computing earble to cut cost up to 30 percent, along with the another improve such as effective mobile benefits, working, higher productivity, and standardization of the process[25]. However this many benefits provided by the cloud computing, also accompanied bv the introduction of the new risks[26,27], so there was a need in security requirement and management for cloud computing[27,28].

Security in Cloud Computing

Security and the privacy issues in cloud computing has received extensive attentions recently[29]. Scholars summarised the cloud into two categories: (1) cloud storage security, and (2) cloud computation security.

Cloud storage security referred to ensure the integrity of data stored at cloud servers while Cloud computation security refers to check the correctness of the computation performed by cloud servers[29].

Both studies shows important eight different aspects[30], such as (1) Privacy and trust; (2) Internet and Services; (3) Access; (4) Storage and Computing; (5) Software; (6) Virtualization; (7) Network; and (8) Compliance & Legalty.

Various framework and reccomendation has been created to evaluate maturity index and mitigate the risk that emerge from these aspects [26,29,31-34]. Most of the research use only information security framework, e.g. ISO 27k or CyberSecurity series[26,29,31,32] framework, e.g. NIST CyberSecurity Framework[33,34]. This research tried to evaluate and incorporate the popular information security framework ISO27k series with the emerging CyberSecurity and IT Governance framework, the COBIT 5 for CyberSecurity.

ISO 27k Series & COBIT 5 CyberSecurity

International Standards for management systems provide models to set up and operate management systems, known as the standard of Information Security Management System (ISMS)[18].

The ISMS standard family consists of interrelated standards, already published or under development, and contains several significant structural components. ISO / IEC 27001 is the most recognizable standard in the family that provides the requirements for an information security management system (ISMS).

ISO 27001:2013

ISO 27001:2013 provides normative requirements for the development and operation of information security, including a set of controls for risk control and mitigation associated with information assets that the organization

wishes to protect by the operation of information security[18].

Structurally, ISO 27001:2013 is divided into 2 major parts:


• Clause, is a condition that requirements must be met if the organization implements information security using ISO 27001:2013 standards

• Annex A, is a reference document used as a guide in determining the security controls that must be implemented into the ISMS. In ISO 27001:2005, Annex A consists of 11 domain groups, 39 control objectives, and 133 controls, whereas in the amendment, ISO 27001:2013, Annex A consists of 14 domain groups, 35 control objectives and 114 controls.

ISO 27001:2013 for Cloud Computing

Tariq [35] states that information security responsibilities' that are delegated to vendors and organizations differ depending on the cloud computing scenario used by an organization.

The scenario consists of 4 types: inhouse or private, Infrastructure-as-a-Service (IaaS), Platform-as-a-Service (PaaS), and Software-as-a- Service (SaaS). Details of organizational and vendor responsibilities on cloud computing with each scenario can be seen inFigure 1.



O/S	
Virtualization	
Servers	
Storage	
Networking	

Figure 1 Organization and vendor's responsibilities incloud computing, adopted from [35]

Based on the same research, it is also known that from 114 controls that exist in ISO 27001:2013, 102 effective controls are applied in private cloud computing without any significant depreciation.


COBIT 5

Control Objectives for Information and Related Technologies, commonly referred to as COBIT, is a best practice framework produced by ISACA for IT governance and management.

COBIT 5, which is issued by ISACA in 2012, provides a comprehensive framework that helps enterprise to create optimal value from IT by maintaining the balance between benefit, risk level, and resource usage[13]. COBIT 5 is a useful guidance generic and for enterprises of all sizes. whether commercial, non-profit, or public sector.

COBIT 5 framework offers a comprehensive set of publications, including the professional guides on several aspects and implementation as shown in Figure 2.

COBIT 5 Enabler Guides		
COBIT* 5: Enabling Processes	COBIT® 5: Enabling Information	Other Enabler Guides
COBIT 5 Professional Guides		
	OBIT® 5 formation for Assurance for	IT* 5 Risk Other Protession Guides
		HISK DUIDES
	iecurity for Assurance for	
	Online Collaborative Enviro	nment



Professional Guides for COBIT 5 – COBIT 5 for Information Security in Figure 2, have 2 additional practical guidance which can be fit and aligned with the ISO27001:2013, Securing Mobile Devices Using COBIT 5 for Information Security and Transforming Cybersecurity Using COBIT 5. In this paper, author focused on the latter, based on COBIT 5 for CyberSecurity[19].

COBIT 5 for Cybersecurity

Cybersecurity encompasses all that protect enterprises and individuals from intentional attacks. breaches. and incidents well the as as consequences[19,36]. COBIT 5 not only can be used for IT Governance, but can be used as a controller for Information Security and Cybersecurity. COBIT 5 for Cybersecurity divided into several processes: (1)Cybersecurity Governance; (2) Cybersecurity Business Case; (3) Applying to Cybersecurity; (4) Cybersecurity Management; and (5) Cybersecurity Monitoring. This paper use the third process, Applying to Cybersecurity Process, which description can be seen in Table 1.

Table 1 COBIT 5 Applying to CybersecurityProcessess, adopted from [19]

Process	Description
APO13	Managesecurity
APO13.01	Establishandmaintainaninformation securitymanagementsystem(ISMS)
APO13.02	Defineandmanageandinfromation securityrisktreatmentplan
APO13.03	MonitorandreviewtheISMS
DSS05	Managesecurityservices
DSS05.01	Protectagainst malware
DSS05.02	Managenetworkandconnectivity security
DSS05.03	Manageendpointsecurity
DSS05.04	Manageuseridentityandlogicalaccess

Maturity Level Framework SSE-CMM

Systems Security Engineering -Capability Maturity Model, or SSE-CMM, is a model developed for the purpose of advancing security

defined. techniques as mature and scalable disciplines its [37]. In development, this SSE-CMM entered into ISO 21827:2008[38]. This CMM approach is done to (1) define accepted ways to improve process capability; (2) increase usage in acquisitions as an indicator of process capability.

In SSE-CMM, there are 6 levels of ability that indicate the level of maturity of a process that can be seen in Table 2.

Table 2 Capability Level in SSE-CMM

Level	Definition
Level0	notallbasepracticesareperformed
Level1	all the base practices are performed butinformally, meaningthatthereisno documentation, no standards and is doneseparately
Level2	plan&track,whichindicatescommitment planningprocessstandards
Level3	welldefinedmeaningstandardprocesshas beenruninaccordancewiththedefinition
Level4	controlledquantitatively,whichmeans improved quality through monitoring ofeveryprocess
Level5	improved constantly indicating the standardhasbeenperfect andthe focusto adaptto changes.

In the SSE-CMM method, scoring assessments in each process area are selected from 0 to 5 for each process area [11].

Maturity Level

A mature information system has the ability to manage good development and management[39]. Maturity of an information system could be measured using a tool called Maturity Level.

This maturity level model is based on software evaluation methods so that the organization can self-evaluate from level 0 (none) to level 5 (optimal).

This maturity model is developed with the of continuous process aim improvement. Each level of maturity consists of a set of process objectives that, if met, will stabilize an important component of theorganizational process. Achieving each level of maturity forms a different component of the organizational process, which indicates a more mature and capable information system.

In its development, the Maturity Levels used in SSE-CMM contained in ISO 21827:2008 are replaced with maturity levels based on ISO 15504, particularly in the assessment of system maturity levels based on ISO 15504-6:2013[40]. In ISO 15504-6:2013, the maturity level is called the capability level.

This research uses a maturity index based on previous research[11] and the capability level and definition of ISO 15504-6: 2013 as reference[41]. Details of the calculation of the value of the maturity level with the index of maturity to obtain the level of maturity could be seen in Table 3.

Table 3 Maturity Level AssessmentCriteria Index, adopted from [11,41,42

MaturityIndex	MaturityLevel
0–0.49	0-Incomplete
0.51–1.50	1–Performed
1.51–2.50	2–Managed
2.51-3.50	3–Established
3.51-4.50	4-Predictable
4.51–5.00	5–Optimised

This maturity level is made in the form of nominal rank sizes to sort the maturity of the immature to the most mature. The definition of each level of maturity can be seen in Table 4.

Table 4 Maturity Level Definition,adopted from [41]

adopted from	
MaturityLevel	Definition
0-Incomplete	Notimplementedorlittleornoevidence of any systematic achievementoftheprocesspurpose
1–Performed	Processachievesitsprocesspurpose
2–Managed	Implementedinamanagedfashion(pl anned, monitored, and adjusted) anditsworkproductsareappropriately established,controlled,and maintained
3–Established	Implementedusingadefinedprocess thatcanachieveits processoutcomes
4–Predictable	Operateswithin defined limits to achieveitsprocessoutcomes
5–Optimised	Continuously improved to meetrelevant current and projected enterprisegoals.

3 METHODOLOGY

In this research, the authors used quantitative and qualitative research methods to find the immature part of University XYZ's cloud computing and provide recommendations to develop the conditions of the organization based on these findings. The steps used in this study can be seen in Figure 3.




Figure 3 Research Methodology, adopted from [11

Data Collection

This research uses questionnaires in its data collection. Question on this questionnaires is adopted from the compliance checklist provided by the Integrated Assessment Services / IAS[43]. The data provided by the respondent is processed with and processed by using Excel application. questionnaires Based on the 12 distributed to the IT department at University XYZ, this research received 11 respondents from the IT department with functional structure that can be seen in Table 5.

Table 5 Research RespondentFunctional Structure of ITDepartment in University XYZ AmountIT Manager 1IT Support 3ProgrammerProgrammer4Network Engineer 2Helpdesk

on the findings in the questionnaire. This data analysis includes Measuring the performance of the information security maturity level on cloud computing in University XYZ IT departments and Gap Analysis from the expected maturity level with field realities.

Mapping ISO27001:2013 to COBIT 5 for CyberSecurity

The basic difference between COBIT 5 for CyberSecurity and ISO27001:2013 was that ISO27001:2013 focused only on information security and COBIT 5 for CyberSecurity focused is IT on Governance with additional control for CyberSecurity. Thus, COBIT 5 for CyberSecurity covers a broader range of general information technology topics, but was not having information security requirements as detailed as described in ISO27001:2013.

Previous research by Rosmiati[11] only covers the information security and this research further extends the research to incorporate theCyberSecurity by using COBIT 5 for CyberSecurity in a new mapping model.

In order to coordinating and complementing both ISO27001:2013 and COBIT 5 for CyberSecurity, a mapping between both is beneficial. The purpose of the mapping is providing an integrated way for applying CyberSecurity COBIT in 5 for CyberSecurity achieving and the ISO27001:2013 information security management. Mapping of these process enables the organization to apply both CyberSecurity and Information Security, thus effectively manage risks and reduce the overall risk levels.

For the mapping of these frameworks, every COBIT 5 for CyberSecurity section Applying to CyberSecurity investigated, process is and the corresponding ISO27001:2013 Annex A control objectives are indicated. Based this research, the mapping on of ISO27001:2013 control objectives and COBIT 5 for CyberSecurityprocessess can be seen in Table 6.

COBIT 5 CyberSecurity (Applying toCyberSecurity)Process		ISO27001:2013ControlObjectives	
APO13	Managesecurity		
APO13.01	Establish and maintain an informationsecuritymanagementsy stem(ISMS)	A.5.1	Managementdirectionforinformationsecurity
		A.6.1	Internalorganization
		A.12.3	Backup
APO13.02	Define and manage and informationsecurityrisktreatment plan	A.16.1	Management of information security incidentsandimprovement
		A.17.2	Redundancies
APO13.03	MonitorandreviewtheISMS	A.17.1	Informationsecuritycontinuity
		A.18.1	Compliancewithlegalandcontractual requirements
DSS05	Managesecurityservices		
DSS05.01	Protectagainst malware	A.12.2	Protectionfrom malware
		A.10.1	Cryptographiccontrols
DSS05.02	Manage network and connectivitysecurity	A.13.1	Networksecuritymanagement
		A.13.2	Informationtransfer
DSS05.03	Managaandhaintaaauritu	A.6.2	Mobiledeviceandteleworking
03305.03	Manageendpointsecurity	A.11.2	Equipment
		A.9.2	Useraccessmanagement
DSS05.04	Manageuseridentityandlogicalaccess	A.9.3	User responsibilities

Table 6 Mapping of COBIT 5 for CyberSecurity to ISO27001:2013

ISSN (PRINT): 2393-8374, (ONLINE): 2394-0697, VOLUME-3, ISSUE-11, 2016 DOI: 10.21276/ijcesr.2016.3.11.6

		A.9.4	Systemandapplicationaccesscontrol
DSS05.05	ManagephysicalaccesstolTassets	A.11.1	Secureareas
DSS05.06	Managesensitivedocumentsandoutput	A.8.1	Responsibilityforassets
COBIT 5 CyberSecurity (Applying toCyberSecurity)Process			ISO27001:2013ControlObjectives
APO13	Managesecurity		
APO13.01	Establish and maintain an informationsecuritymanagementsy stem(ISMS)	A.5.1	Managementdirectionforinformationsecurity
		A.6.1	Internalorganization
		A.12.3	Backup
APO13.02 Define and manage and informationsecurityrisktreatment plan	informationsecurityrisktreatment	A.16.1	Management of information security incidentsandimprovement
		A.17.2	Redundancies
APO13.03	MonitorandreviewtheISMS	A.17.1	Informationsecuritycontinuity
		A.18.1	Compliancewithlegalandcontractual requirements
DSS05	Managesecurityservices		
DSS05.01	Protectagainst malware	A.12.2	Protectionfrom malware
		A.10.1	Cryptographiccontrols
DSS05.02	Manage network and connectivitysecurity	A.13.1	Networksecuritymanagement
	connectivitysecurity	A.13.2	Informationtransfer
DSS05.03		A.6.2	Mobiledeviceandteleworking
DSS05.03	Manageendpointsecurity	A.11.2	Equipment
	Manageuseridentityandlogicalaccess	A.9.2	Useraccessmanagement
DSS05.04		A.9.3	User responsibilities
		A.9.4	Systemandapplicationaccesscontrol
DSS05.05	ManagephysicalaccesstolTassets	A.11.1	Secureareas
DSS05.06	Managesensitivedocumentsandoutput	A.8.1	Responsibilityforassets
			•

Company Profile & Evaluation

University XYZ is one of the private universities in Indonesia. The university has been using private cloud computing installed on blade servers since 2010. In its development, the university wants better policy and information security controls in using private cloud on computing. Based this. XYZ University wants an evaluation of existing information security controls.

Organizational Structure

University XYZ is chaired by a rector and assisted by 4 vice rectors each with their respective sections. Vice Rector 1 is an expert in general administration and finance, Vice Rector 2 is an expert in academics, Vice Rector 3 is an expert in the field of student affairs, and Vice Rector 4 is an expert in the field of relations and cooperation. IT departments are directly under the vice rector 1.

Organizational Structure in IT Department


IT Department at XYZ University is chaired by an IT manager and consists of 4 parts: IT Support consisting of 4 persons, 4 programmers, Networkengineer consisting of 2 people: 1 as network administrator and 1 as system administrator, and 1 person as a helpdesk. development, In the configuration settings, as well as monitoring on private cloud computing, network engineers have the most important role.

Evaluation on existing systems

The current system is highly dependent on private cloud computing owned by the university. Almost all of the deployed systems are on the cloud computing cloud blade servers of universities such as university main sites with all existing sub- systems, such as student applications, university internal applications, library applications, etc.

Based on the observations on the installed firewall, it is known that the attack statistical classification in april 2017 s.d.april 2018 can be seen in Figure 4.

Based on this observation, top 3 intrusion event was: (1) Network trojan, with 504.641 events; (2) Misc activity, with 348.162 events; and (3) Potential corporate policy violation, with 100.318 events.



4 FINDINGS AND STRATEGY FOR INFROMATION SECURITY

Maturity Level University XYZ Based on the processed questionnaire of University XYZ's IT department, the maturity level of University XYZ's private cloud computing information security is shown in Table 7.

Table 7 Maturity level of Information Security in Private Cloud Computing of University XYZ

Annex No(Claus es)	Score	MaturityLevel
A.5	2.75	3-Established
A.6	2.34	2–Managed

2.76	3-Established
2.66	3-Established
2.84	3–Established
1.41	1–Performed
2.66	3–Established
2.38	2–Managed
2.27	2–Managed
2.39	2–Managed
1.89	2–Managed
1.98	2–Managed
2.09	2–Managed
1.94	2–Managed
2.31	2–Managed
	2.66 2.84 1.41 2.66 2.38 2.27 2.39 1.89 1.98 2.09 1.94

Future Work

This preliminary information security audit on private cloud computing is still using ISO 27001:2013 and COBIT5 for Security, Applying CyberSecurity section as the standard and maturity level using the SSE-CMM assessment index adapted to ISO 15504-6:2013 capability levels. Further research could use other maturity models to compare the effectiveness of maturity models or use other standards related to cloud computing, e.g. ISO 27017/8:2013 and bigger section from COBIT5 for CyberSecurity to further integrate not only the ISMS, but also the IT Governance.

5 CONCLUSION

The article has analyzed the probability that cloud computing, especially private cloud computing, can be used for higher education institution. Although cloud computing is considered a new technology for the higher education institution, it cannot be separated from the fact that it is prone from attack.

The article presents an overview of current trend of the use of information security framework for private cloud computing in higher education institution. The article incorporates the advantages of ISO 27001:2013 and COBIT 5 for

CyberSecurity framework to analyze and

assess the use of information security and identify the cybersecurity capability (maturity level) of the private cloud computing at University XYZ.

The mapping model of this article provides analysis benefits such as: firstly, it enables mapping the security model that can give a comprehensive analysis for both the use of information security and cybersecurity readiness for the private cloud computing; secondly, the use of maturity level and gap analysis can point out the weak section of both information security and cybersecurity of theprivate cloud computing, proposes for further development.

REFERENCES:

[1] Al Morsy M, Grundy J, Müller I. An analysis of the cloud computing security problem. 17th Asia-Pacific SoftwEngConf (APSEC 2010) Cloud Work Aust 2010:7. doi:arXiv:1609.01107.

[2] Lewis G. Basics About Cloud Computing. SoftwEng Inst

2010:http://www.sei.cmu.edu/library/ass ets/whitepapers/.

Pardeshi VH. Cloud Computing for [3] Higher Education Institutes: Architecture, Strategy and Recommendations for Effective Procedia Adaptation. Econ Financ 2014;11:589-99. doi:10.1016/S2212-5671(14)00224-X.

[4] ViON, Hitachi. Trends in Cloud Computing in Higher Education Colleges and universities 2016.

[5] Barham BL, Chavas JP, Fitz D, Salas VR, Schechter L. The roles of risk and ambiguity in technology adoption. J Econ Behav Organ 2014;97:204– 18. doi:10.1016/j.jebo.2013.06.014.

[6] Foster AD, Rosenzweig MR. Microeconomics of Technology Adoption. Annu Rev Econom 2010;2:395–424.

Econom 2010;2:395–424. doi:10.1146/annurev.economics.102308. 12 4433. [7] Wagstaff K, Sottile CA.
 Cyberattack 101: Why Hackers Are
 Going After Universities. NBC News 2015.

https://www.nbcnews.com/tech/security/ uni versities-become-targets-hackersn429821 (accessed March 21, 2018).

[8] Harris CE, Hammergen LR. Higher education's vulnerability to cyber attacks. Univ Bus Mag 2016.

https://www.universitybusiness.com/arti cle/ 0816-wisp (accessed March 20, 2018).

[9] Acohido B. Improving Detection, Prevention and Response with Security Maturity Modeling. Sans Inst 2015.

[10] Surbakti H. Cobit 4.1: A Maturity Level Framework For Measurement of Information System Performance (Case Study: Academic Bureau at UniversitasRespati Yogyakarta). Int J Eng Res Technol 2014;3:999–1004. doi:2278-0181.

[11] Rosmiati, Riadi I, Prayudi Y. A Maturity Level Framework for Measurement of Information Security Performance.IntJComput Appl

2016;141:975-

8887.doi:10.5120/ijca2016907930.

[12] ISO/IEC. ISO/IEC 27001:2013(E)
Information technology — Security techniques — Information security management systems —
Requirements.ISOOrg [Online] 2013:1–24.

doi:10.1109/IEEESTD.2005.339589.

[13] Isaca. COBIT 5: A Business Framework for the Governance and Management of Enterprise IT.Isaca; 2013.

[14] Isaca. COBIT 5: Implementation. 2012.

[15] Cartlidge A, Hanna A, Rudd C, Ivor M, Stuart R. An introductory overview of ITIL V3. 2007.

doi:10.1080/13642818708208530.

[16] Abawajy J. User preference of cyber security awareness delivery methods. BehavInfTechnol 2014;33:236–47. doi:10.1080/0144929X.2012.708787.

[17] SohrabiSafa N, Von Solms R, Furnell S. Information security policy compliance model in organizations. ComputSecur 2016;56:1–13. doi:10.1016/j.cose.2015.10.006.

[18] ISO/IEC. ISO/IEC 27000:2016(E) Information technology — Security techniques — Information security management systems — Overview and vocabulary.ISOOrg [Online] 2016;4th Editio:42.

[19] ISACA.TransformingCybersecurity using COBIT 5. 2013.

[20] NIST. Guide for conducting risk assessments (NIST SP 800-30 R1). NIST Spec Publ 2012:95. doi:10.6028/NIST.SP.800-30r1.

[21] Perrin C. The CIA triad.Dostopno Na Http//Www Techrepublic Com/Blog/Security/the-Cia-Triad/488 2008.

[22] Coss, D. Samonas S. The CIA Strikes Back: Redefining Confidentiality, Integrity and Availability in Security. J InfSystSecur 2014;10:21–45.

[23] Mell P, Grance T. NIST Special Publication 800-145 Definition of Cloud Computing. Nist Spec Publ 2011;145:7. doi:10.1136/emj.2010.096966.

[24] Badger L, Patt-corner R, Voas J. NIST Special Publication 800-146 Cloud Computing Synopsis and Recommendations. Nist Spec Publ 2012;800:81. doi:2012.

[25] Bradshaw D, Folco G, Cattaneo G, KoldingM. Quantitative Estimates of the

Demand for Cloud Computing in Europe and the Likely Barriers to Up-take. SMART 2011 / 0045 D4 – Final Rep 2012:1–82.

[26] Rebollo O, Mellado D, Fernández-Medina E, Mouratidis H. Empirical evaluation of a cloud computing

information security governance framework. InfSoftwTechnol 2015;58:44–57. doi:10.1016/j.infsof.2014.10.003.

 [27] Chou DC. Cloud computing risk and audit issues. Comput Stand Interfaces 2015;42:137–42.
 doi:10.1016/j.csi.2015.06.005.

[28] Hamlen K, Kantarcioglu M, Khan L, Thuraisingham B. Security Issues for Cloud Computing. Int J InfSecurPriv 2010;4:36–
48. doi:10.4018/jisp.2010040103.

[29] Wei L, Zhu H, Cao Z, Dong X, Jia W, Chen Y, et al. Security and privacy for storage and computation in cloud computing. InfSci (Ny) 2014;258:371–86. doi:10.1016/j.ins.2013.04.028.

[30] Fernandes DAB, Soares LFB, Gomes J V., Freire MM, Inácio PRM. Security issues in cloud environments: a survey. Int J InfSecur 2014;13:113– 70. doi:10.1007/s10207-013-0208-7.

[31] Ali M, Khan SU, Vasilakos A V. Security in cloud computing: Opportunities and challenges. InfSci (Ny) 2015;305:357–83. doi:10.1016/j.ins.2015.01.025.

[32] Yulianto S, Lim C, Soewito B.
Information security maturity model: A best practice driven approach to PCI DSS compliance. Proc - 2016 IEEE Reg 10 Symp TENSYMP 2016 2016:65–70.doi:10.1109/TENCONSpring.2016.7 51937 9.

[33] Chang V, Kuo Y-H, Ramachandran M. Cloud computing adoption framework: A security framework for business clouds. FuturGenerComputSyst 2016;57:24–41.

[34] Shackelford S, Proia A, Martell B, Craig A. Toward a Global Cybersecurity Standard of Care? Exploring the Implications of the 2014 NIST Cybersecurity Framework on Shaping Reasonable National and International Cybersecurity Practices 2014.

[35] TariqMI, SantarcangeloV.Analysis of ISO 27001:2013ControlsEffectivenessforCloudProc2ndIntConfInfSystSecurPriv(ICISSP2016)2016:201–8.doi:10.5220/0005648702010208.

[36] Jacobs PC, von Solms SH, Grobler MM. Towards a framework for the development of business cybersecurity capabilities

2016;7:51–61. doi:10.13140/RG.2.1.5110.0406.

[37] Ferraiolo K. The Systems Security Engineering Capability Maturity Model 1998.

[38] ISO/IEC. ISO/IEC 21827:2008(E) Information technology - Security techniques - Systems Security Engineering- Capability Maturity Model® (SSE- CMM®). Int Organ Stand ISO 2008.

[39] Paulk MC, Curtis B, Chrissis MB, Weber CV. Capability Maturity Model for Software, Version 1 . 1. Carnegie Melon Univ 1993:82.

[40] ISO/IEC. ISO 15504-6:2013 Information technology — Process assessment — Part 6: An exemplar system life cycle process assessment model. ISOOrg [Online] 2013.

[41] Barnier B. COBIT 5. ISACA 2012.

[42] Krisanthi GAT, Sukarsa IM, AgungBayupati IP. Governance audit of application procurement using COBIT framework. J TheorApplInfTechnol 2014;59:342–51. [43] IAS. Iso27001 : 2013 Compliance Checklist Iso 27001 : 2013 Compliance Checklist 2013.